Royalston Historic District Commission

P.O. Box 125 Royalston, Massachusetts, 01368

Web site: http://www.royalston-ma.gov E-mail: hdc @ royalston-ma.gov

Application for Certificate

Instructions:			
	for changes that are not related to ea		
 Include sketches or picture words). 	es showing design, sizes, colors, mate	erials, etc. (a sketch is worth a thousand	l
	oleted application at an HDC meetin filing at the next meeting.	g; or mail, e-mail or give them to a	
	plicants attend the meeting or send a	an agent. Even well prepared	
	estions and answering them quickly		
	ertificates expire if one year elapses	or in case of sale. Once the work is	
started it must be comple	The state of the s		
• If you have any questions,	please contact the Commission.		
Date: Vec 7	15 11		
Address of Property: 2	Frye ISA KI		
Owner's Name: June 7	VR 185h 13/15%.	Teol Tre	
Applicant's Name:	noth KlESh		
Applicant's mailing address:	211	e corne Kd	
	City, State, Zip: Phyllos	La MA 01331	
Please check the certificate ap			
Appropriater	TO ANY OR ANY OWN PROPERTY.	□ Hardship	
Short description of the propo	sed changes. (Provide the details on page 2	and on additional sheets and exhibits as necessary	y).
The Tall	Rose Del IDVI	1/	
100 1 100	near pera joxi	VENT to Existing	
My I mek	e GAING DOOK,	VEST TO EXISTING	
Change Fro	no Door to your	Spece III	-
0		moff & susto	
a i		Applicant's Signature	
	For Office Use Only		
Date Filed Dec 16, 2021	Received by	Application Number_2021-12-1	
		ces mailing date(s) Jan 21, 2022	
Continuation date	Applicant's signature	Date	
Decision	Chairperson's signature		

Comments or conditions:

Scope of work from 9 frye hill rd

We are looking to replace the existing damaged and deteriorated 9x7 garage door and add and additional door of the same size next to it. The doors will be white and 1 row of glass. The specs are as

Construction

- Available in Single-, Double-, Triple-layer construction.


 Optional 1-3/8" or 2" polystyrene insulation. Insulated door R-values range from 6.48 to 9.05. Heavy-gauge, nominal steel is coated in a 5-layer paint system for long-lasting durability. Available with WindPro wind load reinforcement specifically built to withstand specific high-wind pressures to meet local building codes.

Design


Value priced permanent, stamped steel traditional (2) and modern (2) designs; Long-lasting, factory finished paint colors (14) including Amarr Color Zone with over 700 Sherwin Williams colors to choose from; Windows are available in in DecraGlass designs (9) or double-strength, obscure, Frost, Dark Tint or insulated glass options for desired visible light transmission (VLT) and design; DecraTrim window inserts (11) for complementary design to your home.

Next is the front door just looking to replace it with a solid roman top style door. No glass for with he for the form of former
Add lights to either side of front door and garage
Vights or garage 6++ from y found 65 Victorial or photo. Bother to spindal pointer Pt 2x4" Rails top + Bother to spindal pointer Install ## ou ? wood father under sech Excert White top our post Road - caps on post

Deck with lattice fence underneath



Proposed railing type, spindels painted white



Garage General view



Locations of the lights



Proposed door design



Six panel front door type, solid wood, painted white. Hardware to be appropriate antique look

